



# Release Notes for InfoPrint Manager for AIX 4.7

---

# Release Notes for InfoPrint Manager for AIX 4.7

Copyright © 1997, 2018 Ricoh Company Ltd. All rights reserved.

This edition applies to InfoPrint® Manager for AIX, Version 4 Release 7. It is available on the Ricoh Web site: <http://info.rpp.ricoh-usa.com/help/index.jsp>

**All InfoPrint Manager servers and clients must be upgraded at the same time. Do not forget to upgrade any secondary InfoPrint Manager servers.**

## What's new in Release 4.7?

- **InfoPrint Manager Pull Print feature supports connecting with Ricoh StreamlineNX 3.1 for job release.**  
For more information, see *Secure Print: Installing and Configuring*.
- **Web interface enhancements:**
  - Job submission is now possible using the Web interface.
  - The usability for job handling is improved.
  - The usability on properties dialogs for all types of objects is enhanced.
  - The usability on mobile devices is improved.
  - More actions are available when multiple objects are selected.
  - User on boarding improvement.
  - The usability on the object and job panels is enhanced .
  - The InfoPrint Manager Web Server and the Web interface now start automatically.
- **Job Viewer capability to search in PDF documents.**  
For more information, see *InfoPrint Manager for AIX: Getting Started*.
- **License Key Management Application (LKMA) and pdlicmgm are enhanced to support renewal of licenses without uninstallation of expired licenses.**  
For more information, see *InfoPrint Manager for AIX: Getting Started* or *InfoPrint Manager: Reference*.
- **Trial licensing compatibility with grace period and time tampering is enhanced.**  
For more information, see *InfoPrint Manager for AIX: Getting Started* or *InfoPrint Manager: Reference*.
- **InfoPrint Manager server protection against port scanning software.**  
For more information, see *InfoPrint Manager: Reference*.
- **InfoPrint Manager can schedule jobs based on job page count number instead of file size.**  
This change affects these attributes: **schedulers-supported**, **scheduler-sort-secondary-order**, and **scheduler-sort-primary-order**.  
For more information, see *InfoPrint Manager: Reference*.
- **PDF was added as default supported value for document format of any destination that supports passthrough printing.**  
For more information, see *InfoPrint Manager: Reference*.

- **InfoPrint Manager allows standard (non pull-print) jobs to be printed on a pull-print-printer. The printer can now print both pull-print jobs and standard jobs.**  
For more information, see *InfoPrint Manager: Reference*.
- **Added page-select support for PDF document formats for AIX/CUPS/Passthrough DSS's.**  
For more information, see *InfoPrint Manager: Reference*.
- **InfoPrint Select for Windows enhancements:**
  - You can now change the printing destination from the Windows taskbar menu.
  - You can now choose between Domain\User and SamAccountName for LDAP SSO authentication.
  - InfoPrint Manager server discovery over the network based on DNS record.
- **Job status delivered via CUPS is improved after reducing time between print jobs with pull print.**  
For more information, see *InfoPrint Manager: Reference*.
- **InfoPrint Manager System Migration (ISMU) Utility can now be run from SMIT.**  
For more information, see *InfoPrint Manager for AIX: Getting Started*.
- **Smarter way of parsing AIX colon files for improving PSF-Other and AIX DSS support.**  
For more information, see *InfoPrint Manager: Procedures*.
- **Job status and accounting delivered via pioinfo backend when processing nested PJI JOB commands was improved.**  
For more information, see *InfoPrint Manager: Reference*.
- **Added support for RICOH Pro VC40000.**  
For more information, see *InfoPrint Manager for AIX: Planning Guide*.
- **Added support for Pro 8200S, 8210S, 8220S, 8210, 8220 printers.**  
For more information, see *InfoPrint Manager for AIX: Planning Guide*.
- **The InfoPrint Manager Printer Attachment Features was revised and updated. The revised printer speeds for each of the printer attachment categories is displayed below.**

<i>Workgroup Printer Engine</i>	Required to install and use InfoPrint-driven printers that print in the range of 0 to 80 pages per minute.
<i>Low Speed Printer Engine</i>	Required to install and use InfoPrint-driven printers that print in the range of 81 to 150 pages per minute.
<i>Medium Speed Printer Engine</i>	Required to install and use InfoPrint-driven printers that print in the range of 151 to 400 pages per minute.

<i>High Speed Printer Engine</i>	Required to install and use InfoPrint-driven printers that print in the range of 401 to 1999 pages per minute.
<i>Ultra High Speed Printer Engine</i>	This is required to install and use InfoPrint-driven printers that print 2000 pages per minute or faster.

For more information, see *InfoPrint Manager for AIX: Planning Guide*.

- **Added support for Mac 10.13 (Select, Command Line Client, Submit Express).**

For more information, see *InfoPrint Manager for AIX: Planning Guide*.

- **Print-on-Demand feature is withdrawn**

The Print-on-Demand feature is no longer available for purchase. The InfoPrint Submit Express and AFP Workbench applications are now available with the Common Client DVD, while the PPML2AFP transform is available with the base server installation. The InfoPrint Job Ticketer and Halftone Management System applications are no longer available with InfoPrint Manager.

For more information, see *InfoPrint Manager for AIX: Getting Started*

- **Dropped support for Mac OS versions: 10.9, 10.10, 10.11.**

For more information, see *InfoPrint Manager for AIX: Planning Guide*

- **Limitation about accounting information for nested jobs to Ricoh controller was lifted. To enable it, add `-w` to the destination-command attribute.**

For more information, see *InfoPrint Manager: Reference*.

- **Dropped support for SUSE Linux Enterprise Server (SLES) 11 for common clients.**

- **Revised publications:**

- *InfoPrint Manager for AIX: Planning Guide*, G550-1060
- *InfoPrint Manager for AIX: Getting Started*, G550-1061
- *InfoPrint Manager for AIX: Procedures*, G550-1066
- *InfoPrint Manager for AIX and Linux: Configuring and Tuning Guide*, S550-1062
- *InfoPrint Manager: High Availability Guidelines*, G550-20261
- *InfoPrint Manager: Reference*, S550-1052
- *InfoPrint Manager: PSF, Server, and Transform Messages*, G550-1053
- *Secure Print: Installing and Configuring*, G550-20129
- *InfoPrint Manager: SAP R/3 Planning and Configuring Guide*, S550-1051
- *AFP Conversion and Indexing Facility: User's Guide*, G550-1342
- *InfoPrint Manager: Dictionary of Keywords*, S550-1188
- *InfoPrint Manager AFP2PDF Transform Feature: Installing and Using*, G550-1057

---

## Limitations

### Single Cell Halftone

Single Cell Halftone support has a limitation with the provided transparency support. The small (one bit monochrome) images that are transformed with transparency enabled are not transformed with the Single Cell algorithms. The native PostScript data streams that use the `imagemask` operator are transformed using the original halftone algorithms. The PDF data streams that process small (one bit monochrome) images with transparency enabled also use the original algorithms.

### Internet Protocol version 6 (IPv6)

InfoPrint Manager does not yet support IPv6. InfoPrint Manager currently requires IPv4.

### Indexed Multiple Data Sets

MVS Download Receiver cannot be used with multiple data sets that have already been indexed (contain AFP TLEs).

### InfoPrint Manager for AIX and Ricoh ProcessDirector for AIX limitation

InfoPrint Manager for AIX and Ricoh ProcessDirector for AIX cannot coexist on the same AIX machine.

### Interchanging set version attribute

The `sap2afp` transform command does not create IS/3 compliant AFP output when converting an ABAP file by specifying 3 as a value for the `-is` flag. The `sap2afp` transform command creates IS/3 compliant AFP output only when the input file is an OTF file.

## Known problems and workarounds

### Longer processing for color text that uses embedded fonts

When transforming PDF with color text that uses embedded font subsets to black and white or color AFP output, the rip processing can take longer. If you use `savevm=false`, this performance will improve. However, we recommend using the current default of `savevm=true` because, in some cases, PDF input files with many embedded font subsets might fail to transform. The `savevm` option appears on the `ps2afp/pdf2afp` command line as: `-pragma pdf2psoptions=savevm=true`.

### InfoPrint Manager setup installation

Using the InfoPrint Manager setup graphical installer can cause issues when installing the product. This occurs when the register path is selected and you use the **Back** button after the installer asks for the license key. To avoid this, either have the product license key prepared before the installation process is started or install the product in trial mode and register it after the installation is complete using the License Key Management Application. For more information, see *InfoPrint Manager for AIX: Getting Started*, G550-1061.

---

## Upgrading SAP Clients on Linux

If you are upgrading your SAP clients, update the LOMS definitions for all your InfoPrint Manager printers to point to the updated `ipm_submit`, **`ipm_dev_query`**, **`ipm_job_query`**, and **`ipm_job_cancel`** commands by removing all trailing **`.linux`** options from the OMS commands. For more information on modifying the OMS commands, see *InfoPrint Manager: SAP R/3 Planning and Configuring Guide*.

## License clock tampering problem

If the InfoPrint Manager is installed on a machine with the system date and time older than the current date, the InfoPrint Manager server starts issuing the error: "5010-901 InfoPrint Manager detected a time tampering problem".

Contact your support personnel and ask them to make sure that the system time is synchronized with the Internet time server. Remove the license that caused the problem and reinstall it.

## Job status and accounting for nested PJJ jobs

Accounting information reports 0 (zero) pages completed when InfoPrint Manager prints nested PJJ jobs to RICOH controller devices and InfoPrint Manager is configured to wait for the job to print completely (wait-for-job-completion is enabled).

To avoid this situation, use the InfoPrint Manager provided **`pioinfo`** backend and enable the PJJ JOB counting function using the **`-w`** option with the printer command, for example:  
`/usr/lib/lpd/pio/pioinfo://ricohdevice.yourcompany.com -w.`

## Job status and device timeout setting

The device timeout setting can cause the jobs to be reported as failed and the actual destination state to be changed to **`needs key operator`** when InfoPrint Manager is configured to provide accurate job status (by enabling the **`wait-for-job-completion`** attribute), which requires the backend program to wait for the jobs to print completely.

If your physical printer has a timeout setting, make sure it is disabled or the timeout value is higher than the necessary time to print your largest possible job when you enable the **`wait-for-job-completion`** attribute. For Ricoh printers, you can use Remote Maintenance by telnet to make the necessary changes to the direct printing port settings (`d i p r i n t` command).

## CCRs included in Release 4.7

Release 4.7.0 includes resolution for these CCRs:

DE30220	If the daemon <code>ipmldapcached</code> is not started, all running servers in LDAP mode crash while collecting <code>pdcapture</code> . This happens when an authentication for a new LDAP user is made (due to <code>dmpshrdmem</code> LDAP utility inadvertently creating shared memory during <code>pdcapture</code> )
DE30357	Multiple parallel LDAP authentication requests when the LDAP server responds with an error causes the server to crash.
DE30321	When there are more than 100 jobs in the list, the <code>pdaccount -t</code> command prints column headers at the bottom.
DE30457	Unable to login to Web Interface using the secure port 14443 (https).
DE30511	Modify <code>pdls</code> filtering for LDAP authenticated-login to be case insensitive.
DE30268	Web Interface does not display all existing pull print jobs on the system (out of sync).
DE29944	Page segments that contain IM1 images are not printed when using tray 1 that is not available.
DE30645	Server gracefully shuts down because of lack of memory due to error in the <b>ipmldapcached</b> daemon.
DE30727	<b>ainmain</b> cores when processing the FQNs from True Type/OpenType linked fonts.
DE30781	Enhance LDAP implementation to allow a user to be part of up to 100 LDAP groups.
DE30885	PSF <b>ainmain</b> crashes when there is no Nominal Vertical Font Size specified in the font FND SF.
DE30977	The backend program <b>pioinfo</b> crashes when <code>@PJL JOB NAME</code> command value contains the string "END".
DE31067	Cold backup license activates all licenses.
DE30391	<b>pdserver</b> cores during <b>pdshutdown</b> command in some cases.
DE31029	PS2AFP fonts mapping does not work in all situations for fonts added in the <code>psfonts.map</code> file.
DE31121	Web Interface does not allow change of media for actual destination.
DE30311	Number of PCL6/PCLXL pages identified via <b>job-page-count</b> gets incorrect value in some cases.
DE31053	Calling <code>transform_update</code> script from server custom transform step results in error 5010-188 <code>Cannot open file</code> .
DE31161	Missing <code>/usr/lpp/pd/bin/pdgenatt</code> binary used by the utility <code>pdmigpp</code> caused the migration failure of existing AIX printers.
DE31243	You cannot enter values in fields after zoom out operation in the Web Interface.

DE31308	The hardcoded limitation of Java Interface to set ":" for <b>page-select</b> attribute on empty value was removed.
DE31271	AFP2PDF and email DSS AFP ignores IMM resources referenced between BDT and BPG.
DE31407	Converting IM1 image to IO1 is erroneous due to the pointer size change on 64 bit.
DE30758	The PS2AFP client now supports " <b>-pragma IGNOREMEDIAPOSITION</b> " that ignores MediaPosition setting in malformed PostScript files.
DE31630	User cannot login to Web interface due to database SQL exception.
DE31564	<b>piorpdfm</b> buffer overflow alters datastream and makes printer to reject and flush the job.
DE31129	You cannot log in to Web Interface with the LDAP user and password after several days of usage.
DE31902	Trial tampering status causes server not to start when perpetual license is available.
DE24416	ACIF out of storage and core dump when resources do not end correctly.
DE27191	Remove ACIF hardcoded user exit paths and trace user exit loads.
DE29646	ACIF segmentation fault due to overlay table overflow.
DE31799	Memory leaks when large number of LDAP users are defined in ACL.
DE30893	InfoPrint Select improved session determination in a Windows Terminal Services environment.
DE31037	Increased the maximum numbers of jobs that a single transform daemon can queue from 40 to 128.
DE31412	Enhanced the server code to tolerate incorrect SAPGOF data.
DE32109	Add support for "pott" medium to tolerate expansion of medium object names starting with po* characters.
DE32185	Server enhancement on custom transform function for protection against complex output.
DE32255	Server cores when LDAP bound user fails to complete authentication when the connection to the LDAP server is reinitialized.
DE32273	Fix IPM <-> ITM communication by not passing the <b>pdf-processor</b> parameter anymore.
DE32191	afpReorder incorrectly adds a blank page before the first page when reverse order is requested and an inline simplex medium map is used.
DE32129	Web Interface crashes on LDAP user login when Bind DN is longer than 100 characters.



---

DE32244	Characters missing from PCL2AFP transform output when TrueType downloaded fonts have the same attributes for selection.
DE31232	Job pausing operation on PSF TCP/IP destination fails with error "0423-388 Infoprint cannot open file".

Release 4.7.1 includes resolution for these CCRs:

DE32384	Temporary files for rip-and-hold jobs sent to retain area are not deleted on resubmission.
DE32545	Pull print jobs are not displayed on the job list printer panel if they contain curly brackets "{ }" in their names.
DE32889	Multiple GOCA objects shifted to the right on the printed output.
DE32998	JobViewer does not work over secure https port.

---

## Trademarks

These terms are trademarks or registered trademarks of Ricoh Co., Ltd., in the United States, other countries, or both:

- Advanced Function Presentation
- Advanced Function Printing
- AFCCU
- AFP
- Bar Code Object Content Architecture
- BCOCA
- InfoPrint
- Infoprint
- Intelligent Printer Data Stream
- IPDS
- Mixed Object Document Content Architecture
- MO:DCA
- Ricoh

These terms are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both:

- AIX
- DFS
- HACMP
- IBM
- Linux
- MVS
- OS/2
- OS/390
- POWER
- PowerHA SystemMirror
- Print Services Facility
- pSeries
- S/370
- S/390
- z/OS

Adobe, the Adobe logo, PostScript, and the PostScript logo are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

CUPS is a trademark of Apple Inc. in the United States, other countries, or both

---

Linux is the registered trademark of Linus Torvalds in the U.S. and other countries.

Microsoft, Windows, Windows NT, and the Windows logo are trademarks of Microsoft Corporation in the United States, other countries, or both.

UNIX is a registered trademark of The Open Group in the United States and other countries.

SafeNet code: The license management portion of this Licensee Application is based upon one or more of the following copyrights:

Sentinel RMS  
Copyright 1989-2006 SafeNet, Inc.  
All rights reserved.

Sentinel Caffè (TM)  
Copyright 2008-2009 SafeNet, Inc.  
All rights reserved.

Sentinel EMS  
Copyright 2008-2009 SafeNet, Inc.  
All rights reserved.

Other company, product, or service names may be trademarks or service marks of others.